

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((protocol with stack) with unload\$5) and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:20
L2	0	((protocol with stack) same (unload\$5 with stack)) and @ad<"20010314" and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:20
L3	2	((protocol with stack) same (unload\$5)) and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
L4	0	(eliminat\$6 with second with (protocol with stack)) and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
L5	1	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with second) and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
L6	0	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with (additional or new)) and carter.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
L7	10	(eliminat\$6 with (protocol with stack)) and @ad<"20010314" and (709/217.ccls. or 709/220.ccls. or 709/222.ccls. or 709/230.ccls. or 709/249.ccls. or 709/250.ccls. or 370/389.ccls. or 370/465.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:22
L8	1	((protocol with stack) same (unload\$5)) and (709/217.ccls. or 709/220.ccls. or 709/222.ccls. or 709/230.ccls. or 709/249.ccls. or 709/250.ccls. or 370/389.ccls. or 370/465.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:22
L9	1	((protocol with stack) same (unload\$5)) and @ad<"20010314" and (709/217.ccls. or 709/220.ccls. or 709/222.ccls. or 709/230.ccls. or 709/249.ccls. or 709/250.ccls. or 370/389.ccls. or 370/465.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:22

L10	5	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with second) and (709/217.ccls. or 709/220.ccls. or 709/222.ccls. or 709/230.ccls. or 709/249.ccls. or 709/250.ccls. or 370/389.ccls. or 370/465.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:23
L11	4	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with (additional or new)) and @ad<"20010314" and (709/217.ccls. or 709/220.ccls. or 709/222.ccls. or 709/230.ccls. or 709/249.ccls. or 709/250.ccls. or 370/389.ccls. or 370/465.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:23
S1	8	((protocol with stack) with unload\$5) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:20
S2	8	((protocol with stack) same (unload\$5 with stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:20
S3	10	((protocol with stack) same (unload\$5)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:22
S4	43	(eliminat\$6 with (protocol with stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
S5	3	(eliminat\$6 with second with (protocol with stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:21
S17	8	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with second) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:23
S18	10	((protocol with stack) with (unload\$5 or eliminat\$6 or remov\$5) with (additional or new)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 21:23